

LED Highbay Fixture - 6 Tubes

ENERGY EFFICIENT

108W-131W

= 400W UP TO 1000W
TRADITIONAL LAMP

ENVIRONMENTALLY FRIENDLY

50,000 HRS

LIFETIME

For the long run.™

Application

Replacement for metal halide and high pressure sodium lamps.

Industrial facilities, convention halls,
factories and construction sites.

Energy efficient, environmentally
friendly, and LEED compliant.



Highbay

6-Tube ELT6X18W6K

Dimensions:	47.87" x 17.87" x 2.87"
Weight:	n/a
Color Temp:	5500K - 6000K
CRI:	78.5%
Power Consumption:	108 Watts
Actual Power Consumption:	131 Watts
Voltage:	AC100-240V
Amps*:	1.105 ARMS
Operating Temp:	-50C to +50C
Power Factor:	0.990
Lumen Output:	11,55307 LMS
Efficacy:	88.0 LMS/WATT
THD:	100W Driver - 10.25%
Lifetime:	50,000 Hours
Warranty:	5 Year
Certification:	CSA approved Master Contract #253747, CE certified, UL certified, RoHS and LEED compliant

10-Tube Fixture

*Amperage at 120V



EnduraliteLED™

© 2010 EnduraliteLED™
All Rights Reserved

EnduraliteLED
PO Box 970 Goczy Avenue
Esterhazy, SK, S0A 0X0, Canada

(306) 745-6453
Email: Info@EnduraliteLED.ca
www.EnduraliteLED.ca

LED Highbay Fixture - 7 Tubes

ENERGY EFFICIENT

126W-152W

= 400W UP TO 1000W
TRADITIONAL LAMP

ENVIRONMENTALLY FRIENDLY

50,000 HRS

LIFETIME

For the long run.™

Application

Replacement for metal halide and high pressure sodium lamps.

Industrial facilities, convention halls,
factories and construction sites.

Energy efficient, environmentally
friendly, and LEED compliant.



Highbay

7-Tube ELT7X18W6K

Dimensions:	52" x 24" x 8.5"
Weight:	n/a
Color Temp:	5500K - 6000K
CRI:	77.9%
Power Consumption:	126 Watts
Actual Power Consumption:	152 Watts
Voltage:	AC100-240V
Amps*:	1.284 ARMS
Operating Temp:	-50C to +50C
Power Factor:	0.988
Lumen Output:	13,509 LMS
Efficacy:	88.0 LMS/WATT
THD:	100W Driver - 10.25%
Lifetime:	50,000 Hours
Warranty:	5 Year
Certification:	CSA approved Master Contract #253747, CE certified, UL certified, RoHS and LEED compliant

10-Tube Fixture

*Amperage at 120V



EnduraliteLED™

© 2010 EnduraliteLED™
All Rights Reserved

EnduraliteLED
PO Box 970 Goczy Avenue
Esterhazy, SK, S0A 0X0, Canada

(306) 745-6453
Email: Info@EnduraliteLED.ca
www.EnduraliteLED.ca

LED Highbay Fixture - 8 Tubes

ENERGY EFFICIENT

144W-173W

= 400W UP TO 1000W
TRADITIONAL LAMP

ENVIRONMENTALLY FRIENDLY

50,000 HRS

LIFETIME

For the long run.™

Application

Replacement for metal halide and high pressure sodium lamps.

Industrial facilities, convention halls,
factories and construction sites.

Energy efficient, environmentally
friendly, and LEED compliant.



Highbay

8-Tube ELT8X18W6K

Dimensions:	47.87" x 17.87" x 2.87"
Weight:	n/a
Color Temp:	5500K - 6000K
CRI:	78.2%
Power Consumption:	144 Watts
Actual Power Consumption:	173 Watts
Voltage:	AC100-240V
Amps*:	1.471 ARMS
Operating Temp:	-50C to +50C
Power Factor:	0.985
Lumen Output:	15,356 LMS
Efficacy:	88.0 LMS/WATT
THD:	100W Driver - 10.25%
Lifetime:	50,000 Hours
Warranty:	5 Year
Certification:	CSA approved Master Contract #253747, CE certified, UL certified, RoHS and LEED compliant

10-Tube Fixture

*Amperage at 120V



EnduraliteLED™

© 2010 EnduraliteLED™
All Rights Reserved

EnduraliteLED
PO Box 970 Goczy Avenue
Esterhazy, SK, S0A 0X0, Canada

(306) 745-6453
Email: Info@EnduraliteLED.ca
www.EnduraliteLED.ca

LED Highbay Fixture - 9 Tubes

ENERGY EFFICIENT

162W-194W

= 400W UP TO 1000W
TRADITIONAL LAMP

ENVIRONMENTALLY FRIENDLY

50,000 HRS

LIFETIME

For the long run.™

Application

Replacement for metal halide and high pressure sodium lamps.

Industrial facilities, convention halls,
factories and construction sites.

Energy efficient, environmentally
friendly, and LEED compliant.



Highbay

9-Tube ELT9X18W6K

Dimensions:	47.87" x 17.87" x 2.87"
Weight:	n/a
Color Temp:	5500K - 6000K
CRI:	78.5%
Power Consumption:	162 Watts
Actual Power Consumption:	194 Watts
Voltage:	AC100-240V
Amps*:	1.645 ARMS
Operating Temp:	-50C to +50C
Power Factor:	0.983
Lumen Output:	17,150 LMS
Efficacy:	88.0 LMS/WATT
THD:	100W Driver - 10.25%
Lifetime:	50,000 Hours
Warranty:	5 Year
Certification:	CSA approved Master Contract #253747, CE certified, UL certified, RoHS and LEED compliant

10-Tube Fixture

*Amperage at 120V



EnduraliteLED™

© 2010 EnduraliteLED™
All Rights Reserved

EnduraliteLED
PO Box 970 Goczy Avenue
Esterhazy, SK, S0A 0X0, Canada

(306) 745-6453
Email: Info@EnduraliteLED.ca
www.EnduraliteLED.ca

LED Highbay Fixture - 10 Tubes

ENERGY EFFICIENT

180W-215W

= 400W UP TO 1000W
TRADITIONAL LAMP

ENVIRONMENTALLY FRIENDLY

50,000 HRS

LIFETIME

For the long run.™

Application

Replacement for metal halide and high pressure sodium lamps.

Industrial facilities, convention halls,
factories and construction sites.

Energy efficient, environmentally
friendly, and LEED compliant.



Highbay

10-Tube ELT9X18W6K

Dimensions:	47.87" x 17.87" x 2.87"
Weight:	n/a
Color Temp:	5500K - 6000K
CRI:	78.3%
Power Consumption:	180 Watts
Actual Power Consumption:	215 Watts
Voltage:	AC100-240V
Amps*:	1.828 ARMS
Operating Temp:	-50C to +50C
Power Factor:	0.981
Lumen Output:	18,943 LMS
Efficacy:	88.0 LMS/WATT
THD:	100W Driver - 10.25%
Lifetime:	50,000 Hours
Warranty:	5 Year
Certification:	CSA approved Master Contract #253747, CE certified, UL certified, RoHS and LEED compliant

10-Tube Fixture

*Amperage at 120V



EnduraliteLED™


© 2010 EnduraliteLED™
All Rights Reserved

EnduraliteLED
PO Box 970 Goczy Avenue
Esterhazy, SK, S0A 0X0, Canada

(306) 745-6453
Email: Info@EnduraliteLED.ca
www.EnduraliteLED.ca

LED Highbay Fixtures


Spectroradiometric Parameters



Spectral Distribution

CIE1931 Chromaticity Diagram

Fixture Diagram:



Construction:

Extruded aluminum housing and clear glass lamp enclosures.



EnduraliteLED™

© 2010 EnduraliteLED™
All Rights Reserved

EnduraliteLED
PO Box 970 Gocncy Avenue
Esterhazy, SK, S0A 0X0, Canada

(306) 745-6453
Email: Info@EnduraliteLED.ca
www.EnduraliteLED.ca